

# mInspections 2401 Release Notes

## About This Release

<b>Release Date</b>	22 February 2024
<b>Product Version</b>	2401

## Minimum Requirements

<b>Software</b>	SAP Cloud Connector latest version  SAP NetWeaver Gateway 7.4 and above Reverse proxy (SAP Web Dispatcher, Nginx)
<b>Compatible Security Authentication Mechanism</b>	SAML and OAuth 2.0 for SSO
<b>Compatible OS Platform and Version(s)</b>	64-bit Windows and Macintosh
<b>Compatible Form Factors</b>	Desktop and Laptop
<b>Compatible Device(s)</b>	NA
<b>Compatible Browser(s)</b>	Chrome (Best view), Firefox, and Internet Explorer (IE) Edge
<b>Device Storage and Memory Requirements</b>	Windows  8GB RAM and a 64-bit operating system with an x64-based processor are preferred  Macintosh  8GB RAM & 64-bit operating system

# mInspections 2401 Release Notes

## Table of Contents

What's New in the mInspections Mobile Application.....	3
What's New in the mInspections Web Application.....	3
What's Fixed.....	3
Known Issues & Limitations.....	4
What's New in the mInspections 2312.....	4
What's Fixed in the mInspections 2312.....	4
Known Issues & Limitations in 2312.....	5
What's New in the mInspections 2311.....	5
What's Fixed in the mInspections 2311.....	6
App Build and Transport.....	8
Document Revision History.....	9

# mInspections 2401 Release Notes

## What's New in the mInspections Mobile Application

The following features added as part of this release for both iOS and Android operating systems:

---

### **Use Formulas for Calculations During Question Execution**

Execute questions accurately using formulas. These formulas are configured using the web application and give accurate calculations and help technicians enter accurate data.

---

### **Assign Actions to User Groups**

Create and assign actions to user groups in the mobile application. This allows any technician in those groups to pick up and execute those actions.

---

### **Sync Last N Task Reading in Online and Offline mode**

Sync "Last N Task Reading" in online mode and download them offline during initial sync by enabling the toggle button accessible in the User Preference screen.

---

### **Acknowledge End User License Agreement**

Read and acknowledge the End User License Agreement when logged into the application for the first time.

---

## What's New in the mInspections Web Application

The following features added as part of this release for web application:

### **Configure Mathematical Formulas for Fields**

Configure mathematical formulas for fields. These formulas help technicians get accurate calculations and enter accurate data.

---

### **Deactivate Master Data that is no longer needed**

Deactivate Assets and Locations that are no longer needed.

---

### **Create and Assign Actions to User Groups**

Create and assign actions to user groups in the web application. This allows any technician in those groups to pick up and execute those actions.

---

### **SAP IAS Authentication Integration**

mInspections application now seamlessly supports SAP IAS for enhanced user authentication.

---

### **Configure Priorities for Issues and Actions at Tenant Level**

Set Priority dropdowns with color codes for Issues and Actions at the Tenant Level.

---

## What's Fixed

NA

# mInspections 2401 Release Notes

## Known Issues & Limitations

NA

## What's New in the mInspections 2312

### **Avoid accidental Inspections submission**

Receive confirmation prompts when submitting inspections, and avoid accidental submissions of rounds.

### **View Character Limits for Fields**

View character limits for each field, enter the right data, and maintain data integrity.

### **Justify Inspections that are Overdue**

When an inspection goes beyond the due date, specify reasons for the overdue in the comments.

### **Record Task-Level Date & Timestamp**

Move between tasks during inspection execution by marking / recording the date and time for each task individually.

### **Receive Instant Email Alerts**

- Receive instant emails when the inspection is assigned so that you can get started on the round based on priority of the task.
- Receive instant emails when an issue or action is created, updated, resolved and closed.

### **Specify Length of data to be entered in the fields**

Set specific field lengths while planning inspections. This helps prevent incorrect or incomplete data entry during round execution.

### **Download User List for a Plant**

Download the user list from the User Management module and view their assigned roles.

### **Create and Schedule Ad-Hoc Forms**

Create ad-hoc forms to address emergencies or any unforeseen situations.

## What's Fixed in the mInspections 2312

Reference No.	Description
CWP-5572	<b>Web App</b> - In the mInspections web application, while creating a new form, when a user clicked on each question, the application did not display action rows in the response type page.
CWP-6290	<b>Web App</b> - In the mInspections web application, user was unable to view uploaded records without any error messages.

# mInspections 2401 Release Notes

CWP-7018	<b>Web App</b> - In the mInspections web application, when a user tried to login into CWPQA webapp, the application displayed a 503 error toast message.
SA-1021	<b>Web App</b> - In the mInspections web application, when a user added an alert / notification irrespective of the details, the application faced Email / Alert configuration test connection issue in the Integration Manager.
CWP-7020	<b>Web App</b> - In the mInspections web application, when a user created Location / Asset, the application displayed a toast message as "location / asset already exists" despite there being no duplicate ID.
CWP-7071	<b>Web App</b> - In the mInspections web application, when a user was given a minimum character limit as '0', upon reopening the additional details, the application did not display minimum character value.
SA-1080	<b>iOS</b> - In the mInspections mobile application, the operations with 0/0 were displayed which should be hidden.
CWP-6591	<b>Web App</b> - In the mInspections web application, when a user created and published a form, user was unable to view shifts even though the given plant contains shift.
CWP-7062	<b>Android</b> - In the mInspections mobile application, SHR was displayed in an Inspection.
CWP-6682	<b>Web App</b> - In the mInspections web application, when scheduling a form, the application did not display Assign To and Shifts options.
SA-1079	<b>iOS</b> - In the mInspections mobile application, the application displayed overlapped text for the tasks.
SA-705	<b>Web App</b> - In the mInspections web application, Copy Form did not work in the application.

## Known Issues & Limitations in 2312

NA

## What's New in the mInspections 2311

### Add Videos and Documents to Question Responses

Add attachments like videos and documents to your Question responses and access them as links in the generated PDF for better communication and collaboration.

### View and Download Attachments for Inspections

View and download attachments like videos and documents by clicking the links in the generated inspection details PDF, and validate the evidence.

# mInspections 2401 Release Notes

## What's Fixed in the mInspections 2311

Reference No.	Description
SA-1021	<b>Web App</b> - In the mInspections web application, when a user added an alert / notification irrespective of the details, the application faced test connection in the Integration Manager.
SA-848	<b>Web App</b> - In the mInspections web application, the session refresh token did not work in cboqa.innovapptive.com.
SA-844	<b>Web App</b> - In the mInspections web application, a user was unable to add / edit roles
SA-803	<b>Web App</b> - In the mInspections web application, a user was unable to create a notification from the mobile application.
SA-782	<b>Web App</b> - In the mInspections web application, scheduler in forms did not work if the Rounds module was not enabled.
CWP-6782	<b>iOS</b> - In the mInspections mobile application, a user was displayed with an error message after logged into the application.
CWP-6560	<b>Web App</b> - In the mInspections web application, when a user created a New Global Response Set manually, the Add Value button did not work.
CWP-6558	<b>Web App</b> - In the mInspections web application, the key pair 'Shifts' was missed in the below URL, 1. <a href="https://cwpuat.innovapptive.com//assets/i18n/master-configurations/en.json">https://cwpuat.innovapptive.com//assets/i18n/master-configurations/en.json</a> .
CWP-5757	<b>iOS</b> - In the mInspections mobile application, the status of form was changed to In-Progress even without executing any questions in the form.
CWP-5733	<b>iOS</b> - In the mInspections mobile application, the user was displayed Empty Asset in the Asset filter.
CWP-5581	<b>Web App</b> - In the mInspections web application, the 'Last Published By' filter did not work in the Forms List screen.
CWP-5517	<b>iOS</b> - In the mInspections mobile application, the following issues were observed, 1. In online mode, the application displayed, <ul style="list-style-type: none"> <li>○ Round Details instead of Inspection details in the Inspection Details screen.</li> <li>○ Forms instead of Inspections in the Inspection Dashboard footer.</li> <li>○ Unassign Round &amp; Skip instead of Unassign Inspection &amp; Skip in the Inspection Details screen.</li> <li>○ Short names instead of Full names in the Assign To field.</li> </ul>

# mInspections 2401 Release Notes

	<ul style="list-style-type: none"> <li>○ Duplicate name in the Assign To field.</li> <li>2. The user was unable to view the name for the signature response type while executing Round / Inspection in online mode.</li> <li>3. When a user tapped on More '...' option, no actions were displayed in the Inspection Details screen in offline mode.</li> </ul>
CWP-3023	<b>iOS</b> - In the mInspections mobile application, the user was allowed to task execution screen for In-Progress form that was not in the current time slot.
CWP-2492	<b>Web App</b> - In the mInspections web application, the frontend build generation form jenkins was failed with terser package error.
CWP-2217	<b>Web App</b> - In the mInspections web application, the Form filter option did not work in both Forms list and Scheduler list.
CWP-6767	<b>Web App</b> - In the mInspections web application, while authoring the embedded form, the application displayed 401 error message.
CWP-6685	<b>Web App</b> - In the mInspections web application, when a user clicked on the Shifts dropdown, user was unable to scroll down the Plants.
CWP-6632	<b>Web App</b> - In the mInspections web application, the "Create" button was enabled without selecting a plant name, and the user was able to create a position without specifying a plant name in the user preferences screen.
CWP-6631	<b>Web App</b> - In the mInspections web application, the search functionality was not working in the positions plants dropdown, and the user was unable to open the plant dropdown after conducting a search in the Positions screen.
CWP-6630	<b>Web App</b> - In the mInspections web application, Search did not work in plants dropdown in the positions screen.
CWP-6594	<b>Web App</b> - In the mInspections web application, user was unable to select multiple plants from the plants dropdown using search in the Active Users screen.
CWP-6593	<b>Web App</b> - In the mInspections web application, when a user selected the Rounds plan tab and then the Scheduler tab, the application navigated to Rounds page instead of the Plans page.
CWP-6725	<b>Web App</b> - In the mInspections web application, when a user attempted to add or remove plants in the Active Users section, the previously added units and positions were removed unexpectedly.
CWP-6719	<b>Web App</b> - In the mInspections web application, when a user attempted to schedule using positions, the positions list was not accessible.
CWP-6556	<b>Web App</b> - In the mInspections web application, the Positions module was not displayed in the User Management.



# mInspections 2401 Release Notes

CWP-6265	<b>Web App</b> - In the mInspections web application, upon selecting a form, the form detailed screen was not displayed in the Forms scheduler tab.
CWP-6264	<b>Web App</b> - In the mInspections web application, after selecting created Inspections in the Forms tab scheduler, the screen did not navigate to the Inspections tab.
CWP-6238	<b>Web App</b> - In the mInspections web application, while selecting response types during form authoring, toast errors were displayed.
SA-955	<b>iOS</b> - In the mInspections mobile application, scheduled forms were not chronologically sorted as per shift timings.
CWP-6927	<b>Android</b> - In the mInspections mobile application, when a user added a form from the forms list and opened it, the form displayed the start round instead of the start inspection button.
CWP-6883	<b>Web App</b> - In the mInspections web application, in the Active Users screen, the application displayed user groups in the list, even when no user groups were assigned to the user.
CWP-6822	<b>Web App</b> - In the mInspections web application, Assigned To field did not work for Issues and Actions in the Observations screen.
CWP-6814	<b>Web App</b> - In the mInspections web application, while creating UOM manually, the Description is Required error message overlapped with the Add More button.
CWP-6783	<b>Android</b> - In the mInspections mobile application, in the User Preferences screen, the application displayed Unit and Position fields.
CWP-6590	<b>Web App</b> - In the mInspections web application, when a user created template using standalone-copy then creates and deletes another template, and tried to edit the copied template with the previous name and the application displayed as template name already exists error message.
CWP-6928	<b>Android</b> - In the mInspections mobile application, when a user opened the round added from the rounds list and initiated the inspection, the application displayed a message as "You need to acknowledge the SHR to work on your assigned rounds".

## App Build and Transport

- **Build:**
  - Android: #38
  - iOS: #3
- **Transports:**
  - NA



# mInspections 2401 Release Notes

## Document Revision History

Document Version	Date Created	Change History
1.0	22 February 2024	2401

If you have questions about Innovapptive products, visit the Innovapptive Support Portal at <http://helpdesk.innovapptive.com>.

Product Documentation is updated during product, support packs, and hotfix releases.

Innovapptive recommends that you access latest user documentation at [Innovapptive Docs](#)

**Copyright Notices:** Neither our Application nor any content may be copied without inclusion of all copyright notices and/or disclaimers provided therein. Any third party provider logos or marks provided through the Application shall remain owned by such third party provider as may be indicated in a notice contained in the Application or content and you shall not modify or remove any such notice. Neither we nor our suppliers or any third-party providers grant any rights or license to any logos, marks, or copyrighted material other than as expressly set forth herein